

**To:** Robert Law[rlaw@demaximis.com]; Vaughn, Stephanie[Vaughn.Stephania@epa.gov]  
**Cc:** Doug Simmons[doug.simmons@aecom.com]; Marcia Greenblatt[mgreenblatt@integral-corp.com]; Willard Potter[otto@demaximis.com]; Franklin, Elizabeth A NWK (Elizabeth.A.Franklin@usace.army.mil)[Elizabeth.A.Franklin@usace.army.mil]; Tsang, Frank[TsangC@cdmsmith.com]  
**From:** Budney, Sharon  
**Sent:** Wed 10/9/2013 6:10:55 PM  
**Subject:** RE: Third River - Additional SSP 2 Locations

The proposed locations are acceptable to CDM Smith. We will review the field modification when it is prepared.

Sincerely,

**Sharon Budney, CHMM**

CDM Smith

110 Fieldcrest Ave., #8, 6th Floor|Edison, NJ 08837

T: 732-590-4662| email: [budneysl@cdmsmith.com](mailto:budneysl@cdmsmith.com)

**From:** Robert Law [mailto:rlaw@demaximis.com]  
**Sent:** Wednesday, October 09, 2013 10:32 AM  
**To:** Budney, Sharon; Stephanie Vaughn  
**Cc:** Doug Simmons; Marcia Greenblatt; Willard Potter  
**Subject:** Third River - Additional SSP 2 Locations

Sharon:

Attached is the probing map with 3 proposed additional locations. They fill in the spatial gap longitudinally between LRC cores 109 and 110 and the three SSP 2 locations (543, 544, & 545) at the mouth of the river already part of SSP 2. Probing data indicate that 3 to 6 ft of sediment was present at each of these locations. Please let us know if these are acceptable to CDM; if so the CPG will incorporate them into the program with Field Modification.

Please contact me with any questions or comments.

Thank you.

R/

Rob



Robert Law, Ph.D.  
de maximis, inc.  
[rlaw@demaximis.com](mailto:rlaw@demaximis.com)  
Voice: 908-735-9315  
Fax: 908-735-2132